


The Walk-on Floorlight By Vision AGI

Detailed Description

Features:

Grade 6063-T6 Extruded Aluminium
Polyester Powder Coating to Minimum 60 Microns
BS EN 1991-1 1.5kN/m² UDL & 2.0kN/m² PL



Usage:

Suitable for all floor constructions and coverings e.g. timber, tiled, stone etc.

Product Guidance

As Standard:

Stock / Standard Sizes (Non-standard sizes and shapes are available on request)

(mm)	Height	1000	1200	1400
Width				
1000		✓	✓	✓
1200		✓	✓	✓
1400		✓	✓	✓

Glazing Details:

12mm Toughened / 1.52mm PVB Interlayer / 12mm Toughened Outer

Colour:

Ral 9005 Mat

Seals:

Structural & Perimeter Seal – Low Modulus Silicone Sealant



Warranty:

1 Year offered as standard.

Extended warranty available as below, upon registration.

Glazing 10 Years

Powder Coating 10 Years

Options

Size:

Non-standard sizes and shapes are available on request.

Colour:

Any RAL or BS colour can be specified

Anodised options

Glazing Details:

Enhanced glazing specifications incorporating thermal, acoustic, security, light transmission and decorative options are available, please contact manufacturer for details.

Frame Material:

Different material specifications stainless steel cladding etc are available please contact manufacturer for details.



Product Specification

Manufacturer:

Name: Vision AGI Ltd

Web: www.visionagi.co.uk

Email: info@visionagi.co.uk

Tel: +44 (0)1245 392 108

Address: Vision AGI Ltd, Queens Business Park, Wilbraham Road, Fulbourn, Cambridge, CB21 5GT

Product reference: The Walk-on Floorlight

Other Rooflights in the Range

Fixed Rooflight

Opening Roof Window – Manual

Opening Roof Window – Electric

Access Hatch Roof Window – Manual

Access Hatch Roof Window – Electric

Walk On Rooflight – (External Use)

Pyramid Rooflight

Pyramid Rooflight – Manual

Pyramid Rooflight - Electric

Lantern Rooflight

Lantern Rooflight - Manual

Lantern Rooflight - Electric