

## The Walk-on Rooflight By Vision AGI

### Detailed Description

#### Features:

Grade 6063-T6 Extruded Aluminium  
Fully Thermally Broken  
Polyester Powder Coating to Minimum 60 Microns

Suitable for Marine / Coastal Environments  
Stainless Steel Concealed Fixings  
Tested in accordance with the CWCT Standard  
Air & Water Resistance 1050pa  
Wind Load Resistance 2.0kN/m<sup>2</sup>  
BS EN 1991-1 1.5kN/m<sup>2</sup> UDL & 2.0kN/m<sup>2</sup> PL

#### Usage:

Suitable for all nominally flat roof constructions and coverings e.g. Single Ply PVC, Fiberglass, lead, copper, zinc and other standing seams and asphaltic material.  
Suitable for Green / Sedum Roofs



### Product Guidance

#### As Standard:

Stock / Standard Sizes (Non-standard sizes and shapes are available on request)

(mm)	Height	1000	1200	1400	1500
<b>Width</b>					
1000		✓	✓	✓	✓
1200		✓	✓	✓	✓
1400		✓	✓	✓	✓
1500		✓	✓	✓	✓

*NB: These are external kerb sizes.*

*Internal finished sizes; minus 200mm from above Width & Height dimensions*



Glazing Details:

12mm Toughened / 1.52mm PVB Interlayer / 12mm Toughened Outer  
16mm Warm Edge Spacer with 90% Argon Cavity  
6mm Toughened Low-e Inner

Glass Centre Pane U-Value 1.1W/m<sup>2</sup>K

Colour:

Internal – Ral 9010 Mat  
External – Ral 7015 Mat

Seals:

Structural & Weather Seal – Low Modulus Silicone Sealant  
EPDM – UV & Water Resistant

Upstand:

To suit an overall finished Upstand of 110mm. Upstand by Vision AGI if required

Warranty:

1 Year offered as standard.  
Extended warranty available as below, upon registration.

Glazing 10 Years  
Powder Coating 10 Years

## Options

Size:

Non-standard sizes and shapes are available on request.

Colour:

Any RAL or BS colour can be specified  
Anodised options

Glazing Details:

Enhanced glazing specifications incorporating thermal, acoustic, security, light transmission, solar gain and decorative options are available, please contact manufacturer for details.

Frame Material:

Different material specifications stainless steel cladding etc are available please contact manufacturer for details.



## Product Specification

Manufacturer:

Name: Vision AGI Ltd

Web: [www.visionagi.co.uk](http://www.visionagi.co.uk)

Email: [info@visionagi.co.uk](mailto:info@visionagi.co.uk)

Tel: +44 (0)1245 392 108

Address: Vision AGI Ltd, Queens Business Park, Wilbraham Road, Fulbourn, Cambridge, CB21 5GT

Product reference: The Walk-on Rooflight

## Other Rooflights in the Range

Fixed Rooflight

Opening Roof Window – Manual

Opening Roof Window – Electric

Access Hatch Roof Window – Manual

Access Hatch Roof Window – Electric

Walk On Floorlight – (Internal Use)

Pyramid Rooflight

Pyramid Rooflight – Manual

Pyramid Rooflight - Electric

Lantern Rooflight

Lantern Rooflight - Manual

Lantern Rooflight - Electric